

Recruit researchers Join for free Login

Home > University of São Paulo > Department of General and Specialized Nursing > Patricia Rezende do Prado



Patricia Rezende do Prado
PhD · Professor at University of São Paulo
University of São Paulo at Ribeirão Preto
General and Specialized Nursing

Contact

Contact

About Publications **92** Network

out

92
Publications
13,906
Reads ⓘ
449
Citations

roduction

RN, PhD, Nursing Professor at Ribeirão Preto College of Nursing at USP. Member of the NANDA-Inc., The Brazilian Nursing Association in Critical Care (ABENTI). Research lines: ICU, nursing process and corneal injury prevention.

Skills and Expertise

Nursing Process Critical Care Medicine Corneal injury prevention

rent institution

University of São Paulo

Department of General and Specialized Nursing · São Paulo...



Current position

Professor

Patricia Rezende Prado's Lab

ditional affiliations


February 2005 - February 2007

Bayer HealthCare

Neurology · Leverkusen, Germany

Position

Medical Professional



February 2005 - February 2007

Hospital das Clínicas da Faculdade de Medicina de Ribeirão Preto da Universidade de São Paulo




UETDI · Ribeirão Preto, Brazil

Position
Enfermeira

ication

February 2015 - November 2017


Federal University of São Paulo



Field of study
Nursing

May 2010 - May 2012

Federal University of Acre



Field of study
Epidemiology

February 2005 - February 2007

Faculty of Medicine of São José do Rio Preto



Field of study
Terapia Intensiva

[Show All](#)

lications

lications (92)

**Risk factors for death in patients with non-infectious adverse events**[Article](#) [Full-text available](#)

Jan 2018

[Gilcilene Gadelha](#) · [Hémilly Caroline Da](#) · [Silva Paixão](#) · [...] · [Thatiana Lameira Maciel Amaral](#)

Objective: to identify risk factors for death in patients who have suffered non-infectious adverse events. Method: a retrospective cohort study with patients who had non-infectious Adverse Events (AE) in an Intensive Care Unit. The Kaplan Meier method was used to estimate the conditional probability of death (log-rank test 95%) and the risk factors...

[View](#)**Fatores preditores do diagnóstico de enfermagem padrão respiratório ineficaz em pacientes de uma unidade de terapia intensiva**[Article](#) [Full-text available](#)

Oct 2019

[Patricia Rezende do Prado](#) · [Ana Rita de Cássia Bettencourt](#) · [Juliana de Lima Lopes](#)

Objective: to identify the predicting factors and sensitivity, specificity, positive and negative related value of nursing diagnosis Ineffective Breathing Pattern among patients of an intensive care unit. Method: cross-sectional study. A logistic regression was fitted to assess the simultaneous effects of related factors. Results: among the 12...

[View](#)**LINKING WORKER SAFETY TO PATIENT SAFETY: RECOMMENDATIONS AND BIOETHICAL ISSUES FOR THE CARE OF PATIENTS IN THE COVID-19 PANDEMIC**[Article](#) [Full-text available](#)

Jan 2021

[Patricia Rezende do Prado](#) · [Carla Aparecida Arena Ventura](#) · [Ariane Ranzani Rigotti](#) · [...] · [Fernanda Raphael Escobar Gimenes](#)

Objective: the aim of this article is to discuss the implications of the connection between safety and bioethical issues for evidence-based care during the COVID-19 pandemic. Method: reflective analysis with the guiding question: "How can professional and patient safety be linked to bioethical issues during the COVID-19 pandemic?" Results: the COVI...

[View](#)**CARACTERÍSTICAS DEFINIDORAS E FATORES RELACIONADOS DO DIAGNÓSTICO DE ENFERMAGEM PADRÃO RESPIRATÓRIO INEFICAZ: REVISÃO INTEGRATIVA DA LITERATURA**[Conference Paper](#) [Full-text available](#)

Jun 2017

[Patricia Rezende do Prado](#) · [Juliana Lopes](#) · [Ana Rita de Cássia Bettencourt](#)

[View](#)**Risk for corneal injury in intensive care unit patients: A cohort study**

[Article](#) [Full-text available](#)

Jun 2021

● RosimeireSilva Carneiro e Silva · ● Fernanda Raphael Escobar Gimenes · ● NataliaPimentel Moreno Mantilla · [...] · ● Patricia Rezende do Prado

Aim To identify the incidence and risk factors for corneal injury amongst critically ill patients. Method A prospective cohort study with adult patients from one intensive care unit in Northern Brazil. Logistic regression was performed to predict the risk factors associated with corneal injury. Results Data from 149 patients revealed 18.8% (28/14...

[View](#)

Innovation in nursing education: point-of-care ultrasound for obtaining difficult venous access

[Article](#) [Full-text available](#)

Dec 2025

● Fernanda Raphael Escobar Gimenes · ● Patricia Rezende do Prado · ● Mayra Meneguetti · ● Mónica Francisca Santana Apablaza

Objectives: to report the experience of introducing ultrasound-guided difficult venous access using point-of-care ultrasound in an undergraduate nursing course. Methods: a descriptive, experience report type study conducted with fifth-semester nursing students. The course used the Moodle platform, interactive classes with audiovisual resources and...

[View](#)

Evidence validity of the Triage Rule-Out Using High-Sensitivity Troponin Algorithm for emergency nurses in Brazil

[Article](#)

Nov 2025

● Thábata Larissa Agostini dos Santos · ● Kátia Bertoncello · ● Keyla do Nascimento · [...] · ● Rita de Cássia Teixeira Rangel

Objective: To demonstrate evidence of the validity of the Triage Rule-Out Using High-Sensitivity Troponin algorithm (TRUST) for cardiac risk assessment by nurses in Brazil. Method: A six-stage methodological study: translation; synthesis of translations; back-translation; validation by a committee of judges; pre-testing; and submission to the or...

[View](#)

Eye protection chamber versus adhesive tape to prevent corneal injury in critically ill patients: A randomized pilot-controlled trial

[Article](#) [Full-text available](#)

Oct 2025

● Patricia Rezende do Prado · ● Natasha Varjão Volpáti · ● Waleska Olivares Nascimento · [...] · ● Gustavo Trindade Valio

Objective: To evaluate the efficacy and feasibility of the eye protection chamber compared to adhesive tape in preventing corneal injury in

critically ill adult patients. Method: A two-arm, double-blind pilot randomized controlled trial following CONSORT guidelines. 80 critically ill patients were randomized into an intervention group (n = 40; eye...

[View](#)

Diagnostic accuracy of nurse-performed lung ultrasound for pulmonary congestion in acute kidney injury: An exploratory study

[Article](#)

Aug 2025

● Bruna Gomes Barbeiro · ● Patricia Rezende do Prado · ● Vinicius Batista Santos · [...] · ● Fernanda Raphael Escobar Gimenes

Purpose To estimate the diagnostic accuracy of nurse-performed lung ultrasound (LUS) for detecting pulmonary congestion in adults with acute kidney injury (AKI) and to relate ultrasound findings to the defining characteristics of the NANDA-I nursing diagnosis excess fluid volume. **Methods** In this prospective exploratory diagnostic accuracy study, c...

[View](#)



COVID kit adverse effects and mortality in critically ill patients: cross-sectional study

[Article](#)

[Full-text available](#)

Jun 2025

● Cristina Tavares de Aguiar Avilar · ● Thatiana Lameira Maciel Amaral · ● Cawana da Silva do Nascimento · [...] · ● Patricia Rezende do Prado

Objective: To compare the outcomes of the COVID-19 patients who used the COVID Kit in their treatment with those who did not. **Methods:** This was a single-center, analytical, cross-sectional, and observational study. **Results:** The study included 49 COVID-19-positive patients; from those, 65.4% were over 50 years old, 50.0% were male, 36.5% were brown,...

[View](#)

Pré-implementação de um protocolo de planejamento de alta hospitalar para pacientes clínicos

[Article](#)

May 2025

● Pedro Chandllis Alencar Vasconcelos · ● Juliana de Melo Vellozo Pereira Tinoco · ● Patricia Rezende do Prado

Objetivo: Propor a implementação de um protocolo de planejamento de alta hospitalar. **Métodos:** Trata-se de um estudo de pré-implementação desenvolvido em quatro etapas consecutivas, norteado por uma Revisão Sistemática da Cochrane. **Resultados:** Participaram do estudo, 21 pacientes na etapa 2, e 7 enfermeiros assistenciais nas etapas 3 e 4. Dos 21 pac...

[View](#)

Decisão para alta hospitalar precoce após angioplastia coronariana percutânea: revisão de escopo Decision for early hospital discharge after percutaneous coronary angioplasty: scoping review **Decisión para el alta hospitalaria precoz después de angioplastia coronaria percutánea: revisión de alcance**

[Article](#) [Full-text available](#)

Feb 2025

● Jéferson Valente Vieira · ● Paula Vanessa · ● Patricia Rezende do Prado

RESUMO Objetivo: mapear as características clínicas e angiográficas que classificam o paciente como baixo risco cardiovascular e apto para alta precoce após angioplastia coronariana. Método: revisão de escopo orientada pelas recomendações do Instituto Joanna Briggs, realizada em dezembro de 2022 e atualizada em 2024, nas bases eletrônicas de dado:...

[View](#)

Fatores associados aos eventos adversos a medicamentos notificados no Brasil no período de 2014 a 2018

[Article](#) [Full-text available](#)

Jan 2025

● Jennifer Midiani Gonella · ● Geovanna Ribeiro Machado Silva · ● Patricia Rezende do Prado · [...] · ● Fernanda Raphael Escobar Gimenes

Os eventos adversos a medicamentos geram um custo estimado de US\$ 42 bilhões anuais, o que corresponde a aproximadamente 1% do total das despesas globais em saúde, estima-se que os EAM, estão associados a cerca de 6,3% das internações nos países em desenvolvimento. Objetivou-se analisar o perfil e ocorrência de eventos adversos a medicamentos notif...

[View](#)

Evidências de validade do Triage Rule-Out Using High-Sensitivity Troponin para enfermeiros de emergência no Brasil

[Article](#)

Jan 2025

● Thábata Larissa Agostini dos Santos · ● Kátia Bertencello · ● Keyla do Nascimento · [...] · ● Rita de Cássia Teixeira Rangel

RESUMO Objetivo: Demonstrar evidências de validade do algoritmo Triage Rule-Out Using High-Sensitivity Troponin (TRUST) para avaliação do risco cardíaco por enfermeiros no Brasil. Método: Estudo metodológico em seis etapas: tradução; síntese das traduções; retrotradução, validação por comitê de juízes; pré-teste e submissão ao autor original. O com...

[View](#)

Inovação no ensino de enfermagem: ultrassonografia à beira leito para obtenção de acesso venoso difícil

[Article](#)

Jan 2025

● Fernanda Raphael Escobar Gimenes · ● Patricia Rezende do Prado · ● Mayra Meneguetti · ● Mônica Francisca Santana Apablaza

RESUMO Objetivos: relatar a experiência da introdução da técnica de acesso venoso difícil guiado por ultrassom usando point-of-care ultrasound em disciplina de graduação em enfermagem. Métodos: estudo descritivo, do tipo relato de experiência, realizado com estudantes de enfermagem do 5º período. A disciplina utilizou plataforma Moodle, aula intera...

[View](#)

Decisão para alta hospitalar precoce após angioplastia coronariana percutânea: revisão de escopo

[Article](#) [Full-text available](#)

Dec 2024

● Jeferson Valente Vieira · ● Paula Vanessa Peclat Flores · ● Patricia Rezende do Prado

Objetivo: mapear as características clínicas e angiográficas que classificam o paciente como baixo risco cardiovascular e apto para alta precoce após angioplastia coronariana. Método: revisão de escopo orientada pelas recomendações do Instituto Joanna Briggs, realizada em dezembro de 2022 e atualizada em 2024, nas bases eletrônicas de dado: BVS, Ci...

[View](#)


Advancing Digital Education Technologies by Empowering Nurses With Point-of-Care Ultrasound: Protocol for a Mixed Methods Study

[Article](#) [Full-text available](#)

Oct 2024

● Fernanda Raphael Escobar Gimenes · ● Angelita Maria Stabile · ● Rodrigo Magri Bernardes · [...] · ● Soraia Assad Nasbine Rabeh

Background Bedside ultrasonography, also known as point-of-care ultrasound (PoCUS), is a promising technological tool that enhances clinical assessment, enriching diagnostic capabilities and clinical reasoning. Its use in nursing spans various patient populations and health care settings, providing nurses with a valuable health assessment tool to i...

[View](#)

Polypharmacy and high-alert medications in patients with nasally placed feeding tube on admission and at hospital discharge: Multicenter cross-sectional study

[Article](#) [Full-text available](#)

Jul 2024

● Fernanda Raphael Escobar Gimenes · ● Juliana Freitas · ● Janine Koepp · [...] · ● Jennifer Midiani Gonella

Background Polypharmacy and the use of high-alert medications in patients with nasally placed feeding tube (NPFT) increase the risks of drug related problems. Objective Characterize drugs prescribed to patients with NPFT and compare the rates of polypharmacy and high-alert medication use at admission and hospital discharge. Design and setting Mul...

[View](#)

Avaliação dos principais fatores de risco para alta variabilidade glicêmica em uma Unidade de Terapia Intensiva

[Article](#) [Full-text available](#)

Jun 2024

● Cláudia Sena de Pádua · ● Rafael de Oliveira Resende · ● Patricia Rezende do Prado · [...] · ● Miguel JUNIOR SORDI Bortolini

Glycemic variability (GV) is an important evaluation parameter for cardiovascular complications. We aimed to identify factors associated with the risk of high glycemic variability in an Intensive Care Unit. In this prospective cohort with 168 adult patients, we first described the variables by absolute and relative frequency and then identified the...

[View](#)

Prevention of Corneal Injury in Critically Ill Sedated and Mechanically Ventilated Patients: Theoretical and Evidence-Based Practice

[Chapter](#)[Full-text available](#)

Sep 2023

[Patricia Rezende do Prado](#) · [Fernanda R.E. Gimenes](#)

Any prolonged loss of consciousness due to sedation in critically ill patients may result in eye injuries which may go unnoticed as the patient cannot express his/her reduced vision or pain. Loss of blinking movement and eyelid malocclusion can cause some eye injuries as keratopathies and ulcers, which are the most common eye injuries in these pati...

[View](#)

Nursing interventions to prevent corneal injury in critically ill sedated and mechanically ventilated patients: A systematic review of interventions

[Article](#)

May 2023

[Patricia Rezende do Prado](#) · [Renata Cristina Campos Pereira Silveira](#) · [Mario Vianna Vettore](#) · [...] · [Fernanda Raphael Escobar Gimenes](#)

Objective: To identify the effectiveness of interventions to prevent corneal injury in critically ill, sedated, and mechanically ventilated patients.

Research methodology: A systematic review of intervention studies was conducted in the following electronic databases: Cumulative Index to Nursing and Allied Health Literature, Cochrane Central Reg...

[View](#)

Nursing Diagnosis Frail Elderly Syndrome: an integrative review

[Article](#)[Full-text available](#)

Jan 2023

[Valérya Maria de Almeida França de Souza](#) · [Sílvia Maria de Sá Basílio Lins](#) · [Polyana Caroline Lima Bezerra](#) · [...] · [Rosane BARRETO Cardoso](#)

Objective to identify the defining characteristics and factors related to the Nursing diagnosis is Frail Elderly Syndrome. Methods integrative review developed in seven databases, besides the use of Grey literature in Google Scholar and Open Grey. The Problem, Concept, and Context strategies were used to develop the guiding question and select the...

[View](#)

Características nutricionais de pacientes com a COVID-19 em uma unidade de terapia intensiva

[Article](#)

Jan 2023

[Susiane Santiago](#) · [Sofia Cunha](#) · [Gabriel Souza](#) · [...] · [Thatiana Amaral](#)[View](#)

Noradrenalina e ocorrência de distúrbios gastrointestinais em pacientes críticos

[Article](#)

Jan 2023

● Sofia Cunha · ● Susiane Santiago · ● Gabriel Souza · [...] · ● Patricia Rezende do Prado

[View](#)

Delirium em pacientes sob ventilação mecânica em terapia intensiva: coorte prospectiva

Article [Full-text available](#)

Sep 2022

● Antonio Amadeus Souza de Farias · ● Weverson Ferreira Lopes · ● Simone Aparecida Fernandes da Silva · [...] · ● Patricia Rezende do Prado

The aim was to identify the incidence and protective and risk factors for delirium in mechanically ventilated patients in an intensive care unit. Prospective cohort carried out in a public intensive care unit, from September 2019 to February 2020. Results were initially described using absolute and relative frequency. Cox regression was used to ide...

[View](#)

Diagnóstico de Enfermagem Síndrome do Idoso Frágil: Revisão de Literatura

Preprint [Full-text available](#)

Jul 2022

● Valérya Maria de Almeida França de Souza · ● Sílvia Maria de Sá Basílio Lins · ● Polyana Caroline Lima Bezerra · [...] · ● Rosane BARRETO Cardoso

Objetivo: identificar, na literatura, as características definidoras e os fatores relacionados ao Diagnóstico de Enfermagem Síndrome do Idoso Frágil. Método: Revisão Integrativa da Literatura, por meio do portal de periódicos da CAPES, nas bases de dados LILACS, SCOPUS, BDNF, CINAHL MEDLINE, PubMed, Web Of Sciences e SciELO. Além da utilização de...

[View](#)

Clinical indicators, nursing diagnoses, and mortality risk in critically ill patients with COVID-19: a retrospective cohort

Article

Jul 2022

● Maria Secoti Barioni · ● Cawana Da Silva Do Nascimento · ● Thatiana Lameira Maciel Amaral · [...] · ● Patricia Rezende do Prado

Objective: To identify clinical indicators and nursing diagnoses with the highest risk of mortality in critically ill patients with COVID-19. Method: Retrospective cohort with the population of adults and elderly people with COVID-19 from an Intensive Care Unit. Categorical variables were described using absolute and relative frequencies and ris...

[View](#)

VENTILAÇÃO ESPÔNTANEA PREJUDICADA EM PACIENTES COM A COVID-19 EM TERAPIA INTENSIVA

Chapter

Jun 2022

● Cawana da Silva do Nascimento · ● Thatiana Lameira Maciel Amaral · ● Cristina Tavares de Aguiar Avilar · [...] · ● Patricia Rezende do Prado

[View](#)

LESÃO RENAL DURANTE INTERNAÇÃO EM UTI POR COVID-19: UM ESTUDO DE COORTE

Chapter

Jun 2022

● Ítala Maria Araújo Andrade · ● Patricia Rezende do Prado · ● Gabriel Bezerra de Souza · [...] · ● Thatiana Lameira Maciel Amaral

View

DESCRIPTORS Coronavirus Infections; Resilience, Psychological; Patient Safety; Health Systems; Health Personnel

Article

May 2022

● Ariane Ranzani Rigotti · ● Cristina Mara Zamarioli · ● Patricia Rezende do Prado · [...] · ● Fernanda Raphael

Objective: to report the professional experience of a nurse manager facing the challenges of restructuring a hospital service in the face of the COVID-19 pandemic. Method: this is an experience report, based on the perspective of system resilience in a public hospital. Results: the challenges faced were: internal service flow reorganization to assi...

View

Resilience of Healthcare Systems in the face of COVID-19: an experience report

Article

May 2022

● Ariane Ranzani Rigotti · ● Cristina Mara Zamarioli · ● Patricia Rezende do Prado · [...] · ● Fernanda Raphael Escobar Gimenes

Objective: to report the professional experience of a nurse manager facing the challenges of restructuring a hospital service in the face of the COVID-19 pandemic. Method: this is an experience report, based on the perspective of system resilience in a public hospital. Results: the challenges faced were: internal service flow reorganization to...

View

Resiliência de Sistemas de Assistência à Saúde no enfrentamento da COVID-19: relato de experiência

Article

May 2022

● Ariane Ranzani Rigotti · ● Cristina Mara Zamarioli · ● Patricia Rezende do Prado · [...] · ● Fernanda Raphael Escobar Gimenes

Objective to report the professional experience of a nurse manager facing the challenges of restructuring a hospital service in the face of the COVID-19 pandemic. Method this is an experience report, based on the perspective of system resilience in a public hospital. Results the challenges faced were: internal service flow reorganization to assis...

View

Adverse events in critically ill patients: a cross-sectional study

Article

May 2022

● Stefanny Furtado de Assis · ● Débora Feijó Villas Boas Vieira · ● Fernanda Raphael Escobar Gimenes · [...] · ● Patricia Rezende do Prado

Objective: To identify the prevalence of adverse events and the critically ill patient's need for care in an intensive care unit. Method: This is a cross-sectional study, carried out from January to March 2020. The adverse events investigated were pressure injury, accidental orotracheal extubation, fall, loss of central venous access, and health...

[View](#)

Eventos adversos em pacientes de terapia intensiva: estudo transversal


Article

May 2022

● Stefanny Furtado de Assis · ● Débora Feijó Villas Boas Vieira · ● Fernanda Raphael Escobar Gimenes · [...] · ● Patricia Rezende do Prado

RESUMO Objetivo: identificar a prevalência de eventos adversos e a necessidade de cuidado do paciente crítico em uma unidade de terapia intensiva. Método: estudo transversal, realizado de janeiro a março de 2020. Os eventos adversos investigados foram: lesão por pressão, extubação orotraqueal acidental, queda, perda de acesso venoso central e infec...

[View](#)



Causal validation of the risk for corneal injury in critically ill adults

Article

Full-text available

Jan 2022

● Carlos Eduardo de Oliveira Pinheiro · ● Rosimeire Silva Carneiro e Silva · ● Fernanda Raphael Escobar Gimenes · [...] · ● Patricia Rezende do Prado

Background The validity of a nursing diagnosis depends on a continuous investigation process in different populations to provide clinical evidence. The risk for corneal injury nursing diagnosis was approved in 2013 and only reviewed in 2017, demonstrating the need to perform a clinical validation to improve it. Aim To perform a causal validation o...

[View](#)

Indicadores clínicos, diagnósticos de enfermagem e risco de mortalidade em pacientes críticos com COVID-19: coorte retrospectiva

Article

Jan 2022

● Elis Maria Secoti Barioni · ● Cawana da Silva do Nascimento · ● Thatiana Lameira Maciel Amaral · [...] · ● Patricia Rezende do Prado

RESUMO Objetivo: Identificar os indicadores clínicos e os diagnósticos de enfermagem com maior risco de mortalidade em pacientes críticos com COVID-19. Método: Coorte retrospectiva com a população de adultos e idosos com COVID-19 de uma Unidade de Terapia Intensiva. As variáveis categóricas foram descritas por frequências absoluta e relativa e os f...

[View](#)

Nursing care for bed bath in patients with COVID-19: an integrative review

[Article](#) [Full-text available](#)

Nov 2021

● Cristina Tavares de Aguiar Avilar · ● Ítala Maria Araújo Andrade · ● Cawana da Silva do Nascimento · [...] · ● Patricia Rezende do Prado

Objective: to identify the main nursing care procedures for performing bed bath in patients with COVID-19. Method: an integrative literature review. Five stages were followed for this research: research question elaboration (identification of the problem), search of studies in literature, study assessment, data analysis, and presentation of revi...

[View](#)

Nursing Interventions For Prevention of Corneal Injury: A Protocol For A Systematic Review

[Preprint](#) [Full-text available](#)

Nov 2021

● Patricia Rezende do Prado · ● Renata Cristina Campos Pereira Silveira · ● Mario Vianna Vettore · [...] · ● Fernanda Raphael Escobar Gimenes

Background: Critically ill patients are vulnerable to corneal injury and the incidence of this adverse event remains high in these patients. Randomized clinical trials have been assessing different types of interventions, hindering nurses' clinical practice for the prevention of corneal injury in critically ill patients. The aim of this systematic...

[View](#)

Nursing care to COVID-19 patients on hemodialysis and in prone position: an experience report

[Article](#) [Full-text available](#)

Oct 2021

● Gedson Rogério · ● Goulart Lima · ● Gigliane Maria Angelim De Albuquerque · [...] · ● Patricia Rezende do Prado

Objective: To describe the experience report of a nurse providing care to COVID-19 patients on hemodialysis and in prone position. Method: Experience report. This study was conducted in a philanthropic hospital in a Brazilian capital from May to August 2020 during the Coronavirus pandemic. Results: The nurse has faced several challenges concerning...

[View](#)

Nursing care to COVID-19 patients on hemodialysis and in prone position: an experience report

[Article](#) [Full-text available](#)

Oct 2021

● Gedson Rogério Goulart Lima · ● Gigliane Maria Angelim de Albuquerque · ● Thatiana Lameira Maciel Amaral · ● Patricia Rezende do Prado

Objective: To describe the experience report of a nurse providing care to COVID-19 patients on hemodialysis and in prone position. Method: Experience report. This study was conducted in a philanthropic hospital in a Brazilian capital from May to August 2020 during the Coronavirus pandemic. Results: The nurse has faced several challenges concer...

[View](#)

Risk factors for death due to COVID-19, in the state of Acre

[Article](#) [Full-text available](#)

May 2021

● Patricia Rezende do Prado · ● Fernanda Raphael Escobar Gimenes ·
● Marcos Venicius Malveira de Lima · [...] · ● Thatiana Lameira Maciel Amaral

Objective: To analyze risk factors for death in individuals with severe acute respiratory syndrome due to COVID-19. inhabitants. The risk factors for death were: being male (HR=1.48-95% CI 1.25;1.76), age ≥60 years (HR=10.64-95% CI 8.84;12.81), symptom of dyspnea (HR=4.20-95% CI 3.44;5.12) and multimorbidity (HR=2.23-95% CI 1.77;2.81), with emphasi...

[View](#)

Terapia nutricional em pacientes adultos com COVID-19 revisão de escopo

Article [Full-text available](#)

Apr 2021

● Sofia Souza Da Cunha · ● camila gomide · ● Cláudia Sena de Pádua · ● Patricia Rezende do Prado

ABSTRACT Introduction: Nutrition is a key determinant for health, being a fundamental part of the treatment of chronic and acute diseases, and the adequate activity of the immune system as well. COVID-19 emerged in China, on December 2019, where many cases of pneumonia were reported. Considering that nutrition therapy is one of the main treatments a...

[View](#)

Factors associated with length of stay and death in tube-fed patients: A cross-sectional multicentre study

Article [Full-text available](#)

Jan 2021

● Leticia Alves Freitas · ● Alex Luís Fagundes · ● Patricia Rezende do Prado · [...] · ● Fernanda Raphael Escobar Gimenes

Objectives To analyse the factors associated with length of stay (LOS) and death in nasogastric/nasoenteric tube (NG/NET)-fed patients. Design A cross-sectional multicentre study. Method Data collection took place from October 2017–April 2019, and the sample consisted of 365 participants from seven Brazilian hospitals. Demographic, clinical and t...

[View](#)

Fatores de risco para óbito por COVID-19 no Acre, 2020: coorte retrospectiva


Article [Full-text available](#)

Jan 2021

● Patricia Rezende do Prado · ● Fernanda Raphael Escobar Gimenes ·
● Marcos Venicius Malveira de Lima · [...] · ● Thatiana Lameira Maciel Amaral

Resumo Objetivo: Analisar fatores de risco para óbito em indivíduos com síndrome respiratória aguda grave por COVID-19. Métodos: Coorte retrospectiva, constituída de indivíduos adultos com COVID-19, de março a setembro de 2020, notificados pelo sistema de vigilância epidemiológica do estado do Acre, Brasil. Empregou-se regressão de Cox. Resultados:...

[View](#)



INCIDENCE, RISK FACTORS AND SURVIVAL OF CRITICALLY-ILL PATIENTS WITH ACUTE KIDNEY INJURY

Article [Full-text available](#)

Jan 2021

● Weverson Ferreira Lopes · ● Luiza Pessoa de Araújo · ● Patricia Rezende do Prado · ● Thatiana Lameira Maciel Amaral

Objective: to analyze the incidence, risk factors and survival of critically-ill patients with acute kidney injury. Method: a concurrent cohort study, conducted with 126 participants between May and September 2019 in a public Intensive Care Unit of the state of Acre. The Kaplan-Meier method was used to estimate the probability of death (log-rank 9...

[View](#)

Assistência de enfermagem ao adulto com disfunção respiratória

Chapter

Jan 2021

● Agueda Zimmer Cavalcante · ● THÁIS VILELA DE SOUSA · ● Patricia Rezende do Prado

[View](#)

TERAPIA NUTRICIONAL E ADEQUAÇÃO CALÓRICO-PROTEICA EM PACIENTES CRÍTICOS COM LESÃO RENAL AGUDA

Article [Full-text available](#)

Dec 2020

● Luiza Pessoa De Araújo · ● Weverson Ferreira Lopes · ● Cláudia Sena de Pádua · [...] · ● Thatiana Lameira Maciel Amaral

Este estudo tem o objetivo de descrever a terapia nutricional e a adequação calórico-proteica dos pacientes críticos que evoluíram com lesão renal aguda (LRA). É um estudo observacional do tipo coorte prospectivo, realizado com pacientes em terapia enteral, admitidos em uma UTI pública. Foi considerada inadequação calórico-proteica os pacientes que...

[View](#)

Percepção da Cultura de Segurança do Paciente dos Profissionais de Saúde de Unidades de Terapia Intensiva Públicas no Estado do Acre

Chapter [Full-text available](#)

Dec 2020

● Eliana Sombra de Freitas · ● Simone Perufo Opitz · ● Patricia Rezende do Prado · [...] · ● Suleima Pedroza Vasconcelos

Intensive care units are one of the units most likely to experience adverse events related to health services. The culture of patient safety must be present to enhance the actions to prevent errors, ensuring safe care. The aim of the study was to describe the dimensions of the Patient Safety Culture regarding the perception of health professionals...

[View](#)



PERCEPÇÃO DA CULTURA DE SEGURANÇA DO PACIENTE DOS PROFISSIONAIS DE SAÚDE DE UNIDADES DE TERAPIA INTENSIVA PÚBLICAS NO ESTADO DO ACRE

[Chapter](#) [Full-text available](#)

Dec 2020

● Eliana Farias · ● Simone Perufo Opitz · ● Patricia Rezende do Prado · [...] · ● Suleima Pedroza Vasconcelos

[View](#)

PERFIL DOS PACIENTES EM HEMODIÁLISE SOB VENTILAÇÃO MECÂNICA INVASIVA EM UMA UNIDADE DE TERAPIA INTENSIVA

[Chapter](#)

Dec 2020

● Bruna Martins de Carvalho · ● Thatiana Lameira Maciel Amaral · ● Patricia Rezende do Prado · ● Leandro José Ramos

[View](#)

Factors associated with mechanical device-related complications in tube fed patients: A multicenter prospective cohort study

[Article](#) [Full-text available](#)

Nov 2020

● Fernanda Raphael Escobar Gimenes · ● Flávia Fernanda Luchetti Rodrigues Baracioli · ● Adriane Pinto de Medeiros · [...] · ● Adriana Inocenti Miasso

Aims To identify the types of nasogastric/nasoenteric tube (NGT/NET)-related adverse events and to analyze the degree of harm and the factors associated with mechanical device-related complications. Materials and methods A prospective cohort study was conducted from October 2017 to April 2019 in seven Brazilian hospitals. Data from 447 adult patie...

[View](#)

Factors associated with mechanical device-related complications in tube fed patients: A multicenter prospective cohort study

[Article](#)

Nov 2020

● Fernanda Raphael Escobar Gimenes · ● Flávia Fernanda Luchetti Rodrigues Baracioli · ● Adriane Pinto de Medeiros · [...] · ● Adriana Inocenti Miasso

[View](#)

NURSING DIAGNOSIS/OUTCOMES AND INTERVENTIONS FOR CRITICALLY ILL PATIENTS AFFECTED BY COVID -19 AND SEPSIS

[Article](#) [Full-text available](#)

Nov 2020

● José Melquiades Ramalho Neto · ● Renata Andréa Pietro Pereira Viana · ● Andrezza Serpa Franco · [...] · ● Maria Miriam Lima da Nóbrega

Objective: to relate nursing diagnoses/outcomes and interventions for critically ill patients affected by COVID-19 and sepsis in the Intensive Care Unit, according to the International Classification for Nursing Practice (ICNP®). Method: a documentary study conducted in March and April 2020 from the ICNP® terminology subset for adult patients with...

[View](#)

Perfil de pacientes internados em uso de sonda nasoenteral e fatores associados ao óbito

[Article](#) [Full-text available](#)

Oct 2020

● Fernanda Raphael Escobar Gimenes · ● Flávia Helena Pereira · ● Julia Aguiar · [...] · ● Adriane Pinto de Medeiros

Objective: To analyze the profile of patients using nasoenteral tube (NET) and the factors associated with death. Methods: Cross-sectional and analytical study was performed in medical wards of seven Brazilian hospitals in the North, Northeast, Southeast and South. The sample consisted of 447 patients hospitalized with NET. The inclusion criteria w...

[View](#)

INFECÇÃO EM TERAPIA INTENSIVA

[Chapter](#) [Full-text available](#)

Aug 2020

● Patricia Rezende do Prado · ● Thatiana Lameira Maciel Amaral

INFECTION IN CRITICAL CARE UNIT ABSTRACT Health care-related infection (HAI) in critically ill patients is a serious condition with an impact on morbidity and mortality and with repercussions on patient safety and the quality of health services. The main clinical syndromes responsible for the majority of HAIs in the Intensive Care Unit and notific...

[View](#)

Nursing interventions for neurocritical patients

[Article](#) [Full-text available](#)

May 2020

● Kelly Regina Pires da Silva Caciano · ● Jakeline De Lima israel Saavedra · ● Edna Lopes Monteiro · [...] · ● Patricia Rezende do Prado

Objetivo: identificar as intervenções de Enfermagem para pacientes neurocríticos em uma Unidade de Terapia Intensiva. Método: trata-se de um estudo quantitativo, descritivo, transversal, com 84 pacientes neurocríticos. Coletaram-se as intervenções de Enfermagem mediante os registros de Enfermagem no instrumento de Sistematização da Assistência de E...

[View](#)

Risk factors for protein-caloric inadequacy in patients in an intensive care unit

[Article](#) [Full-text available](#)

Oct 2019

● Celso Gustavo Ritter · ● Irla Maiara Silva Medeiros · ● Cláudia Sena de Pádua · [...] · ● Patricia Rezende do Prado

Objective: To evaluate the risk factors for protein-caloric inadequacy in critically ill patients. Methods: Prospective cohort study of patients hospitalized in an adult intensive care unit between February and November 2017. Patients were followed for 7 days. The conditional probability of inadequacy was calculated using the Kaplan-Meier method...

[View](#)

Nasogastric/Nasoenteric tube-related incidents in hospitalised patients: a study protocol of a multicentre prospective cohort study

[Article](#) [Full-text available](#)

Jul 2019

● Fernanda Raphael Escobar Gimenes · ● Marta Cristiane Alves Pereira · ● Patricia Rezende do Prado · [...] · ● Adriana Inocenti Miasso

Introduction Hospitalised patients with nasogastric/nasoenteric tube (NGT/NET) are at constant risk of incidents; therefore, healthcare professionals need to routinely monitor risks and adopt strategies for patient safety and quality of care. Aim This study aimed to evaluate the NGT/NET-related incidents in hospitalised patients and associated fac...

[View](#)

Perfil epidemiológico dos pacientes com sepse de foco abdominal

[Article](#) [Full-text available](#)

Jun 2019

● Natasha Varjão Volpáti · ● Patricia Rezende do Prado · ● L. E. Maggi

Objetivo: identificar o perfil epidemiológico, os fatores associados ao óbito e nortear as intervenções de enfermagem frente aos pacientes com sepse de foco abdominal. Método: trata-se de um estudo quantitativo, descritivo, transversal, realizado com 40 pacientes internados em uma em uma Unidade de Terapia Intensiva. Realizou-se a associação com o...

[View](#)

Construção e validação de conteúdo de formulário para pacientes sépticos

[Article](#) [Full-text available](#)

Jun 2019

● Natasha Varjão Volpáti · ● Patricia Rezende do Prado · ● L. E. Maggi

RESUMO Objetivo: construir um instrumento para a coleta de dados de pacientes com sepse de foco abdominal em Unidades de Terapia Intensiva (UTI). Método: trata-se de um estudo metodológico, de construção e validação de conteúdo, realizado em três etapas: revisão integrativa da literatura; construção do instrumento e validação de conteúdo do instrum...

[View](#)

Depressive symptoms in the family caregivers of patients with heart failure: an integrative review

[Article](#) [Full-text available](#)

Jun 2019

● Marianna Sobral Lacerda · ● Patricia Rezende do Prado · ● Alba Lucia Botura Leite de Barros · ● Juliana de Lima Lopes

Aims: Identify the occurrence of depressive symptoms in family caregivers of patients with heart failure and the correlation of other variables with depressive symptoms. Design/method: The literature review was conducted in the Web of Science, Medline, LILACS and PubMed databases in March 2017. Papers published between 2004 and 2016, written in...

[View](#)

Defining characteristics and related factors of the nursing diagnosis for ineffective breathing pattern

[Article](#) [Full-text available](#)

Feb 2019

● Patricia Rezende do Prado · ● Ana Rita de Cássia Bettencourt · ●
Juliana de Lima Lopes

Objective: To identify in the literature the defining characteristics and related factors of the nursing diagnosis "ineffective breathing pattern".

Method: Integrative review with the steps: problem identification, literature search, evaluation and analysis of data and presentation of results.

Results: Twenty articles and two dissertations were i...

[View](#)

Fatores relacionados ao óbito em pacientes com traumatismo cranioencefálico

Article [Full-text available](#)

Jan 2019

● Jakeline De Lima Israel · ● Francisco José Oliveira De Queiroz · ●
Thatiana Lameira Maciel Amaral · [...] · ● Patricia Rezende do Prado

Objective: to identify the epidemiological profile and the factors related to death in critical patients who suffered traumatic brain injury. Method: this is a quantitative, descriptive and cross-sectional study, whose data collection was performed, and the information analyzed in the medical records.

Descriptive statistics and Fisher's exact test...

[View](#)

FACTORS RELATED TO DEATH IN PATIENTS WITH TRAUMATIC BRAIN INJURY

Article [Full-text available](#)

Jan 2019

● Jakeline De Lima Israel · ● Francisco José Oliveira De Queiroz · ●
Thatiana Lameira Maciel Amaral · [...] · ● Patricia Rezende do Prado

Objective: to identify the epidemiological profile and the factors related to death in critical patients who suffered traumatic brain injury. Method: this is a quantitative, descriptive and cross-sectional study, whose data collection was performed, and the information analyzed in the medical records.

Descriptive statistics and Fisher's exact test...

[View](#)



RISK FACTORS FOR FAILURE TO REACH TOTAL ENERGY VALUE IN AN INTENSIVE CARE UNIT

Article [Full-text available](#)

Oct 2018

● Thatiana Lameira Maciel Amaral · ● Patricia Rezende do Prado

The objective was identify the risk factors associated with the failure to total energy value. A prospective cohort study was conducted in an intensive care unit with 87 patients receiving exclusive enteral nutrition therapy. The Kaplan-Meier and Cox regression analysis were used to evaluate the results. Regarding the patients, 35.6% were aged betw...

[View](#)

Artigo Original Construção e validação de instrumento de sistematização da assistência de enfermagem em terapia intensiva Construction and validation of a systematization instrument for nursing in intensive care Construcción y validación de instrumento

de sistematización de la atención de enfermería en cuidados intensivos

Article [Full-text available](#)

Oct 2018

● Daniela Silva De Araújo · ● Andreza Freire França · ● João Kelvin Da · [...] · ● Patricia Rezende do Prado

Objetivo: construir e validar um instrumento de Sistematização da Assistência de Enfermagem e caracterizar o perfil dos pacientes de uma unidade de terapia intensiva do norte do Brasil. Métodos: trabalho metodológico descritivo, seguiu o modelo do processo de enfermagem em cinco fases. Resultados: foi sugerido que o instrumento fosse construído em...

[View](#)

0102-311X-csp-30-9-1912

Article

Oct 2018

● Patricia Rezende do Prado · ● Rosalina Jorge Koifman · ● Ilce Ferreira da Silva

Clinical and evolving features of women diagnosed with precancerous cervical lesions, screened and treated in the Amazon region of Brazil
Características clínicas e evolutivas de mulheres com diagnóstico de lesões precursoras de câncer cervical, rastreadas e tratadas na região amazônica brasileira
Las características clínicas y los resultados de mu...

[View](#)

INTEGRATIVE REVIEW ON THE ROLE OF NURSES IN POST-KIDNEY TRANSPLANT

Article [Full-text available](#)

Oct 2018

● Antonia Ecrivânia Souza Da Silva¹ · ● Ualison Oliveira Pontes¹ · ● Tercio Genzini · [...] · ● Thatiana Lameira Maciel Amaral

The objective was to identify the role of nurses in post-renal transplant, showing the main care for these patients. For this, an integrative review was conducted in September 2013, with four databases as sources, using the key words: Renal Transplant, Nursing care (processes, interventions) and Post Transplant. 110 articles were identified, of whi...

[View](#)

FATORES ASSOCIADOS À INFECÇÃO DE SÍTIO CIRÚRGICO EM UM HOSPITAL NA AMAZÔNIA OCIDENTAL BRASILEIRA* FACTORS ASSOCIATED WITH SURGICAL SITE INFECTIONS IN A HOSPITAL IN THE WESTERN BRAZILIAN AMAZON FACTORES ASOCIADOS CON LA INFECCIÓN DEL SITIO QUIRÚRGICO EN UN HOSPITAL EN LA AMAZONÍA OCIDENTAL BRASILEISIA

Article [Full-text available](#)

Oct 2018

● Ana Paula Aguiar · ● Patricia Rezende do Prado · ● André Ricardo · [...] · ● Simone perufo opitz

RESUMO: Objetivo: Identificar os fatores asso-ciados à Infecção de Sítio Cirúrgico (ISC) em um Hospital de Ensino de Rio Branco (AC). Método: Estudo transversal, cuja coleta de dados incluiu todos os pacientes com ISC de duas enfermarias cirúrgicas. Resultados: do total de 2.203 pacientes, 81 apresentaram 1SC, representando prevalência de 3,68%. As...

[View](#)**Multimorbidade, depressão e qualidade de vida em idosos atendidos pela Estratégia de Saúde da Família em Senador Guimard, Acre, Brasil**Article [Full-text available](#)

Sep 2018

● Thatiana Lameira Maciel Amaral · ● Cledir Amaral · ● Nathália Silva de Lima · [...] · ● Gina Torres

Resumo Este estudo objetivou analisar a associação entre multimorbidade e depressão e qualidade de vida em idosos da Estratégia de Saúde da Família (ESF), por meio de estudo transversal com cadastrados na ESF de Senador Guimard, Acre. Utilizou-se a Escala de Depressão Geriátrica (EDG-15) e o Questionário de Qualidade de Vida (WHOQOL-Bref). As dife...

[View](#)**Risk factors for failure to reach total energy value in an intensive care unit**Article [Full-text available](#)

Aug 2018

● Louise Carnevali Furtado de Medeiros · ● Cláudia Sena de Pádua · ● Irla Maiara Silva Medeiros · [...] · ● Patricia Rezende do Prado

The objective was identify the risk factors associated with the failure to total energy value. A prospective cohort study was conducted in an intensive care unit with 87 patients receiving exclusive enteral nutrition therapy. The Kaplan-Meier and Cox regression analysis were used to evaluate the results. Regarding the patients, 35.6% were aged betw...

[View](#)**PERFIL EPIDEMIOLÓGICO DE PACIENTES COM TRAUMATISMO CRÂNIO-ENCEFÁLICO (TCE) DE UMA UNIDADE DE TERAPIA INTENSIVA NA CIDADE DE RIO BRANCO-AC, AMAZÔNIA OCIDENTAL**Article [Full-text available](#)

May 2018

● Cláudia Sena de Pádua · ● Thales Antonio Pinheiro Scherer · ● Patricia Rezende do Prado · [...] · ● Miguel JUNIOR SORDI Bortolini

RESUMO Objetivo: Avaliar os principais aspectos epidemiológicos das vítimas de TCE internadas na Unidade de Terapia Intensiva (UTI) de um hospital de urgência e emergência de Rio Branco, Acre. Método: Trata-se de um estudo transversal, de caráter retrospectivo, onde foram incluídas todas as vítimas de traumatismo crânio-encefálico (TCE) admitidas n...

[View](#)**Risk factors for death in patients with sepsis in an intensive care unit**Article [Full-text available](#)

Apr 2018

● Patricia Rezende do Prado · ● Natasha Varjão Volpáti · ● Fernanda Raphael Escobar Gimenes · [...] · ● Thatiana Lameira Maciel Amaral

Objective to determine the main risk factors for death in patients with sepsis in an intensive care unit. Methods it is a retrospective cohort study, wich included 126 patient chorts lhat had clinical and clinical and laboratory diagnosis of sepsis were considered eligible. The conditional probability of death was calculated through the Kaplan-Mei...

[View](#)

Fatores relacionados à falha na extubação em uma unidade de terapia intensiva da Amazônia ocidental brasileira

Article [Full-text available](#)

Feb 2018

● Patricia Rezende do Prado

Introdução: A falha da extubação está relacionada a um elevado índice de mortalidade hospitalar. Os fatores relacionados ao insucesso da extubação ajudam na elaboração de um protocolo para conduzir as práticas relacionadas a este processo, atenuando as consequências indesejáveis decorrentes deste desfecho. Objetivo: Identificar as características e...

[View](#)

Risk factors for death in patients with non-infectious adverse events

Article [Full-text available](#)

Jan 2018

● Gilcilene Gadelha · ● Hémilly Caroline Da · ● Silva Paixão · [...] · ● Thatiana Lameira Maciel Amaral

Objective: to identify risk factors for death in patients who have suffered non-infectious adverse events. Method: a retrospective cohort study with patients who had non-infectious Adverse Events (AE) in an Intensive Care Unit. The Kaplan Meier method was used to estimate the conditional probability of death (log-rank test 95%) and the risk facto...


[View](#)

FATORES PREDITORES DO DIAGNÓSTICO DE ENFERMAGEM PADRÃO RESPIRATÓRIO INEFICAZ EM PACIENTES DE UMA UNIDADE DE TERAPIA INTENSIVA

Conference Paper [Full-text available](#)

Jun 2017

● Patricia Rezende do Prado · ● Juliana Lopes · ● Ana Rita de Cássia Bettencourt

[View](#)

Quality of life and associated morbidities among elderly persons registered with the Family Health Strategy of Senador Guiomard in the state of Acre

[Article](#) [Full-text available](#)

Dec 2015

● Thatiana Lameira Maciel Amaral · ● Cledir Amaral · ● Patricia Rezende do Prado · [...] · ● Gina Torres

Objectives: To verify the prevalence of a low quality of life and analyze the morbidities associated with such a condition among elderly persons registered with the Family Health Strategy of the municipality of Senador Guimard. Method : A cross-sectional study was performed of elderly persons registered with the Family Health Strategy in the urban...

[View](#)**0102-311X-csp-30-9-1912**[Data](#)

Oct 2015

● Patricia Rezende do Prado · ● Rosalina Jorge Koifman · ● Ilce Ferreira da Silva

[View](#)**FATORES ASSOCIADOS AO ACIDENTE VASCULAR ENCEFÁLICO NA AMAZÔNIA OCIDENTAL BRASILEIRA: ESTUDO CASO-CONTROLE**[Article](#) [Full-text available](#)

Oct 2015

● Cássia Maria Gomes Lima · ● Hanna Paula Wanderley Da Silva · ● Patrícia Aquino Silva De Souza · [...] · ● Patricia Rezende do Prado

Introduction: Stroke is one of the main causes of morbidity and mortality in the world and the leading cause of neurological disorders in adults, especially in developing countries like Brazil. This is resulting from the lack of control of associated factors, as well as the socioeconomic conditions of the population. Objective: The aim of the prese...

[View](#)**Construction and validation of a systematization instrument for nursing in intensive care**[Article](#) [Full-text available](#)

Sep 2015

● Daniela Silva de Araújo · ● Andreza Freire de França · ● João Kelvin da Silva Mendonça · [...] · ● Patricia Rezende do Prado

Objective construction and validation of a systematization instrument for Nursing Care, characterizing the profile of patients of an intensive care unit in the north of Brazil. Methods it was a descriptive methodological study that followed a nursing process model in five phases. Results it was suggested that the instrument be constructed in two...

[View](#)**SELF-ESTEEM AND QUALITY OF LIFE IN A SERIES OF PREGNANT WOMEN ATTENDED IN A PUBLIC HEALTH NETWORK**[Article](#) [Full-text available](#)

Apr 2015

● Alinne Barbosa dos Santos · ● Karolynne Elena Peluti Santos · ● Gina Torres · [...] · ● Thatiana Lameira Maciel Amaral

This paper aims to describe the self-esteem and quality of life levels of pregnant women attended in the public health network of Rio Branco, Acre. Three hundred and fifty-two pregnant women from the urban area with ≥ 35 weeks gestational age were interviewed in 2011. The Rosenberg Self-Esteem Scale and the World Health Organization Quality of Life...

[View](#)

REVISÃO INTEGRATIVA SOBRE O PAPEL DO ENFERMEIRO NO PÓS-TRANSPLANTE RENAL

Article [Full-text available](#)

Sep 2014

● Antônia Ecrivânia Souza da Silva · ● Ualison Oliveira Pontes · ● Tercio Genzini · [...] · ● Thatiana Lameira Maciel Amaral

RESUMO: O objetivo foi identificar o papel do enfermeiro no pós-transplante renal, evidenciando os principais cuidados a essa clientela. Para tanto, foi realizada revisão integrativa em setembro de 2013, tendo como fonte quatro bases de dados, usando os descritores: Transplante Renal, Assistência de enfermagem (processos, intervenções) e Pós-Transp...

[View](#)



Clinical and evolving features of women diagnosed with precancerous cervical lesions, screened and treated in the Amazon region of Brazil

Article [Full-text available](#)

Sep 2014

● Patricia Rezende do Prado · ● Rosalina Jorge Koifman · ● Ilce Ferreira da Silva

The objective of the study was to determine the dynamics of precancerous lesions in women of a cohort treated for cervical intraepithelial neoplasia (CIN) and followed up over the next two years. The conditional probability of failure was calculated using the Kaplan-Meier method, and the raw and adjusted hazard ratios (HR) were determined using Cox...

[View](#)

Integrative review on the role of nurses in post-kidney transplant

Article [Full-text available](#)

Sep 2014

● Antonia Ecrivânia Souza da Silva · ● Ualison Oliveira Pontes · ● Tercio Genzini · [...] · ● Thatiana Lameira Maciel Amaral

The objective was to identify the role of nurses in post-renal transplant, showing the main care for these patients. For this, an integrative review was conducted in September 2013, with four databases as sources, using the key words: Renal Transplant, Nursing care (processes, interventions) and Post Transplant. 110 articles were identified, of whi...

[View](#)

Cirurgias seguras: elaboração de um instrumento de enfermagem perioperatória* Safe surgery: elaboration of an instrument for perioperative nursing care Cirurgias seguras: elaboración de un instrumento de enfermería perioperatoria

[Article](#)

Jun 2014

● Edna Lopes Monteiro · ● Cleuciane Lima De Melo · ● Thatiana Lameira Maciel Amaral · ● Patricia Rezende do Prado

RESUMO: Objetivo: construir e validar o conteúdo de um instrumento para registro da assistência de Enfermagem Perioperatória para um Hospital de Clínicas, visando a atender as exigências da Organização Mundial da Saúde propostas no 2.º Desafio Global e reafirmadas no Manual Cirurgias Seguras Salvam Vidas do Ministério da Saúde Brasileiro. Método: t...

[View](#)


CARACTERÍSTICAS EPIDEMIOLÓGICAS DOS PACIENTES TRANSPLANTADOS HEPÁTICOS EM UM ESTADO DA AMAZÔNIA OCIDENTAL BRASILEIRA

[Article](#) [Full-text available](#)

Jun 2014

● Bruna Barbosa Ferreira · ● Thatiana Lameira Maciel Amaral · ● Tercio Genzini · ● Patricia Rezende do Prado

Objetivo: Descrever o perfil epidemiológico dos pacientes transplantados hepáticos acompanhados, no estado do Acre. Método: Estudo transversal, realizado no período de abril de 2003 a julho de 2014, para o qual foram utilizados os prontuários dos pacientes em acompanhamento no Hospital das Clínicas do Acre, Brasil. As informações foram coletadas do...

[View](#)

MORTALIDADE INFANTIL, EVITABILIDADE E CAUSAS BÁSICAS DE ÓBITO EM ESTADO DA AMAZÔNIA BRASILEIRA

[Article](#) [Full-text available](#)

May 2014

● Francisco José Oliveira De Queiroz · ● Cledir Amaral · ● Patricia Rezende do Prado · ● Thatiana Lameira Maciel Amaral

Introdução: A mortalidade infantil no Brasil continua como um grave problema para a saúde pública com elevada concentração de óbitos nas populações mais carentes. Objetivo: Verificar as taxas de mortalidade, as causas básicas e as causas evitáveis de óbitos em crianças menores de 01 (um) ano de idade, de 2009 a 2011, no estado do Acre. Métodos: Tra...

[View](#)

Cirurgias seguras: elaboração de um instrumento de enfermagem perioperatória/ Safe surgery: elaboration of an instrument for perioperative nursing care/ Cirurgías seguras: elaboración de un instrumento de enfermería perioperatoria

[Article](#) [Full-text available](#)

Jan 2014

● Edna Lopes Monteiro · ● Cleuciane Lima De Melo · ● Thatiana Lameira Maciel Amaral · ● Patricia Rezende do Prado

RESUMO: Objetivo: construir e validar o conteúdo de um instrumento para registro da assistência de Enfermagem Perioperatória para um Hospital de Clínicas, visando a atender as exigências da Organização Mundial da Saúde propostas no 2.º Desafio Global e reafirmadas no Manual Cirurgias Seguras Salvam Vidas do Ministério da Saúde Brasileiro. Método: t...

[View](#)

Cirurgias seguras: elaboração de um instrumento de enfermagem perioperatória

Article

Jan 2014

● Edna Lopes Monteiro · ● Cleuciane Lima de Melo · ● Thatiana Lameira Maciel Amaral · ● Patricia Rezende do Prado

[View](#)

NÍVEL DE SAÚDE DE CANDIDATOS PARA TRANSPLANTE HEPÁTICO NA AMAZÔNIA OCIDENTAL BRASILEIRA

Article

Full-text available

Jan 2013

● Gorete Simão Soares · ● Jakeline de Lima Israel · ● Tercio Genzini · [...] · ● Thatiana Lameira Maciel Amaral

Objetivo: Verificar o nível de saúde dos candidatos para transplante hepático em uma cidade da Amazônia ocidental brasileira. Métodos: Estudo transversal realizado com candidatos para transplante hepático, residentes em Rio Branco, Acre, nos meses de agosto a outubro de 2012. Para a obtenção dos dados, foi realizada entrevista estruturada e análise...

[View](#)

Caracterização do Perfil das Mulheres com Resultado Citológico ASCUS/AGC, LSIL e HSIL segundo Fatores Sociodemográficos, Epidemiológicos e Reprodutivos em Rio Branco - AC, Brasil

Article

Full-text available

Sep 2012

● Patricia Rezende do Prado · ● Rosalina Jorge Koifman · ● Anna Luiza Moreira Santana · ● Ilce Ferreira da Silva

Introdução: O câncer do colo do útero e a segunda neoplasia mais incidente entre as mulheres. Na Região Norte do Brasil, especialmente na cidade de Rio Branco/Acre, e o tipo de câncer com maior incidência e mortalidade. Objetivo: Caracterizar o perfil das mulheres rastreadas com resultados colpocitológicos de ASCUS /AGC, LSIL e HSIL , entre 2007 a...

[View](#)

17 artigo caracterizacao perfil mulheres resultado citologico ascus agc lsil hsil segundo fatores sociodemograficos epidemiologicos reprodutivos rio branco ac brasil

Article

Full-text available

Jan 2012

● Patricia Rezende do Prado · ● Rosalina Jorge Koifman · ● Anna Luiza · ● Ilce Ferreira da Silva

Resumo Introdução: o câncer do colo do útero é a segunda neoplasia mais incidente entre as mulheres. na região norte do Brasil, especialmente na cidade de rio Branco/acre, é o tipo de câncer com maior

incidência e mortalidade. Objetivo: caracterizar o perfil das mulheres rastreadas com resultados colpocitológicos de ascus/aGc, lsil e Hsil, entre 20...

[View](#)

work

Cited

[View All](#)



Enirtes Melo

Oswaldo Cruz Foundation



Elem Kocaçal

İzmir Demokrasi University



Pierre Singer

Rabin Medical Center



Jean-Louis Vincent

Université Libre de Bruxelles



Vivian Welch

University of Ottawa

Cited By

[View All](#)



Grace Sasso

Universidade Federal de Santa Catarina



Mariann Fossum

University of Agder



Fernanda Raphael Escobar Gimenes

University of São Paulo



Ana Graziela Alvarez

Universidade Federal de Santa Catarina




Luciana Kusumota

University of São Paulo


Co-authors


Top co-authors

 **Marcos Venicius Malveira de Lima**
Secretaria de Estado de Saúde d...

 **Rosalina Jorge Koifman**


 **Renata Cristina Campos Pereira Silveira**
University of São Paulo

 **Rhanna Carvalho**
State University of Ceará

 **José Melquiades Ramalho Neto**
Federal University of Paraíba

All co-authors (50)

[View All](#)



Awards & Achievements (3)

[Award · Jul 2018](#)

3 Lugar - Destaque na Categoria Assistencial Adulto - Poster no Simposio Interncional de enfermagem em UTI, Associação Brasileira de Enfermagem em Terapia Intensiva (ABENTI).

[Scholarship · Feb 2015](#)

Bolsa Capes - Doutorado

[Scholarship · Feb 2010](#)

CNPq - Mestrado

Join ResearchGate to find the people and research you need to help your work

- **25+ million** members
- **160+ million** publication pages
- **2.3+ billion** citations

[Join for free](#)



Company

[About us](#)

[News](#)

[Careers](#)

Support

[Help](#)

[Center](#)

Business solutions

[Advertising](#)

[Recruiting](#)

© 2008-2026 ResearchGate GmbH. All rights reserved.

[Terms](#) · [Privacy](#) · [Copyright](#) · [Imprint](#) · [Consent preferences](#)